

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10	"base layer" same router and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 13:05
L5	2	("5778174").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 13:34
L6	494	firewall with router and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 13:43
L7	123	"713"/\$.ccls. and firewall with router and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 14:10
L8	188	"713"/153.ccls. and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 14:10
S1	2	("5199069").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 11:12
S2	2	("5689566").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:02
S3	16	"713"/\$.ccls. and checkpointing and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:09
S4	15	checkpoint\$ same network with connection and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:18
S5	0	base adj layer and checkpoint\$ same network with connection and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:19

S6	9	base adj layer and checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:26
S7	1446	connection and checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:26
S8	204	connection same checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:27
S9	20	server same connection same checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:31
S10	4	firewall and server same connection same checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:33
S11	38	firewall same checkpoint\$ and @ad<"20000229" not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:38
S12	9	router same checkpoint\$ and @ad<"20000229" not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 14:38
S13	5	firewall with application same checkpoint\$ and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:26
S14	15	firewall with application same router same connection and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:27
S15	0	firewall with application same router same unique with connection with (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 13:42

S16	577	unique with connection with (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:28
S17	14	router same unique with connection with (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:57
S18	178	router same connection with (ID or identifier) and @ad<"20000229" not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:52
S19	13	firewall and router same connection with (ID or identifier) and @ad<"20000229" not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:54
S20	0	firewall and router same unique with connection with (ID or identifier) and @ad<"20000229" not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:55
S21	2	firewall same unique with connection with (ID or identifier) and @ad<"20000229" not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:55
S22	62798	router connection adj3 (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:57
S23	60951	router sameconnection adj3 (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:57
S24	77	router same connection adj3 (ID or identifier) and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:11
S25	24	router same firewall adj application and @ad<"20000229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:11